

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION FOR PATENT

ON

ADJUSTABLE USER INTERFACE

BY

GLEN J. ANDERSON

RUSSELL F. MCKNIGHT

ADJUSTABLE USER INTERFACE

FIELD OF THE INVENTION

[0001] The present invention generally relates to the field of user interfaces as provided in electronic environments, and particularly to an adjustable user interface.

BACKGROUND OF THE INVENTION

[0002] With the proliferation of electronic devices, users have access to a wide range of functionality. From digital cameras and camcorders, to digital music players, digital video disc players, the Internet, and the like, users may access content from a wide variety of sources. However, these sources may not be readily combinable and accessible by a user in an efficient manner.

[0003] Media-editing programs are typically created for a given media type, such as photo-editing software for electronic photos, video-editing program for digital video, and the like, and are typically ill-suited for the inclusion of content types not specifically designed for by the system. Although the media-editing program in some instances may import other media types, the manipulation of the imported content may have undesirable results.

[0004] For example, a user may wish to combine video from a home movie and audio from an audio source, such as from a network connection over the Internet. Further, the user may wish to also combine still photos from a digital camera into an integrated viewing and listening experience. Accessing the content from these various systems and sources may be difficult to perform in a unified manner. For instance, a user may need to access a browser, access software provided by the digital camera to obtain the content, as well as access a digital videodisc player. Additionally, the importation of content may result in changing the content from its

previously desired state. Thus, the user must progress through a multi-step process to even access the content, much less manipulate the content in a desired manner.

[0005] Further, previous interfaces do not provide access to the content in an intuitive manner, and may require the user to navigate through various screens to access desired manipulation tools, and the like. This is especially true in instances when a media type is imported into a program that was not designed to access the content.

SUMMARY OF THE INVENTION

[0006] Accordingly, the present invention is directed to an adjustable user interface. In a first aspect of the present invention, a method of configuring a user interface of an information handling system based on utilization of ports included with the information handling system includes monitoring a plurality of ports included on the information handling system. Utilization by a device of a port of the plurality of ports is monitored, the device communicatively coupled to at least one port of the plurality of ports. A user-interface operating on the information handling system is configured based on the determined utilization by the device of the port of the plurality of ports.

[0007] In a second aspect of the present invention, a method of configuring a user interface of an information handling system based on utilization of ports included with the information handling system includes monitoring a plurality of ports included on the information handling system. Utilization by a first device communicatively coupled to a first port and a second device communicatively coupled to a second port of the plurality of ports is determined. A display of a user-interface operating on the information handling system is configured based on the determined utilization of the first port and the second port of the plurality of ports. Configuring may include arranging the user-interface so that content corresponding to the first device and content corresponding to the second device is displayed based upon the ports utilized by the first device and the second device.

[0008] In a third aspect of the present invention, an information handling system includes a plurality of ports, a memory, a display device and a processor. The plurality of ports is suitable for communicatively coupling the information handling system to a device. The memory is suitable for storing a program of instructions, the display device is suitable for outputting a display of information and the processor is suitable for performing a program of instructions. The processor is communicatively coupled to the plurality of ports, the memory and the display device. The program of instruction configures the processor to monitor the plurality of ports so that utilization of the ports by devices is employed to cause the processor to configure a display of a user interface so that content corresponding to each of the devices is arranged based upon which of the ports is utilized by the devices.

[0009] It is to be understood that both the forgoing general description and the following detailed description are exemplary and explanatory only and are not restrictive of the invention as claimed. The accompanying drawings, which are incorporated in and constitute a part of the specification, illustrate an embodiment of the invention and together with the general description, serve to explain the principles of the invention.

BRIEF DESCRIPTION OF THE DRAWINGS

[0010] The numerous advantages of the present invention may be better understood by those skilled in the art by reference to the accompanying figures in which:

[0011] FIG. 1 is a block diagram of an exemplary information handling system operable to employ the present invention;

[0012] FIG. 2A is an illustration of an embodiment of the present invention wherein an information handling system coupled to a variety of devices is shown;

[0013] FIG. 2B is an illustration of the information handling system as shown in FIG. 2A in which a rear view of a chassis of an information handling system is shown;

[0014] FIG. 3 is a flow diagram depicting an exemplary method of the present invention wherein a user interface is configured based on utilization of ports of an information handling system;

[0015] FIG. 4 is a flow diagram illustrating an exemplary method of the present invention wherein multiple devices accessing multiple ports of an information handling system are utilized to configure a user interface;

[0016] FIG. 5 is an illustration of an embodiment of the present invention wherein a user interface having data obtained from devices communicatively coupled to an information handling system is shown;

[0017] FIG. 6 is a flow diagram illustrating an exemplary method of the present invention wherein a priority of ports on an information handling system is utilized to configure a user interface including information from devices communicatively connected to the ports;

[0018] FIGS. 7A and 7B are illustrating an information handling system having ports disposed on multiple surfaces of the information handling system;

[0019] FIG. 8 is a flow diagram depicting an exemplary method of the present invention wherein priority based on accessibility of a port on an information handling system is utilized to configure a user interface; and

[0020] FIG. 9 is a flow diagram illustrating an exemplary method of the present invention wherein a user interface is optimized by output devices as well as input devices available to an information handling system.

DETAILED DESCRIPTION OF THE INVENTION

[0021] Reference will now be made in detail to the presently preferred embodiments of the invention, examples of which are illustrated in the accompanying drawings.

[0022] Referring generally now to FIGS. 1 through 9, embodiments of the present invention are shown. Users often wish to create various media outputs based on many different types of inputs. For instance, a user may wish to combine streaming video with video stills and audio data to create a unified interactive experience. The present invention provides a user interface that may be changed based upon detection and operation of peripheral devices and relevant applications to provide a targeted control mechanism to enable a user to interact with various media types in a unified manner. For instance, the present invention may provide a graphical user interface that would change based upon connected output devices, connected input devices and available programs, optimize based on the utilization of ports by devices, and the like as contemplated by a person of ordinary skill in the art.

[0023] Referring now to FIG. 1, a hardware system in accordance with the present invention is shown. The hardware system shown in FIG. 1 is generally representative of the hardware architecture of an information handling system of the present invention. An information handling system may include a digital information appliance, convergence system, Internet appliance, and the like without departing from the spirit and scope of the present invention. A controller, for example, a processing system 102, controls the information handling system 100. The processing system 102 includes a central processing unit such as a microprocessor or

microcontroller for executing programs, performing data manipulations and controlling the tasks of the information handling system 100. Communication with the processing system 102 may be implemented through a system bus 110 for transferring information among the components of the information handling system 100.

[0024] The system bus 110 may include a data channel for facilitating information transfer between storage and other peripheral components of the information handling system 100. The system bus 110 further provides the set of signals required for communication with processing system 102 including a data bus, address bus, and control bus. The system bus 110 may comprise any state of the art bus architecture according to promulgated standards, for example industry standard architecture (ISA), extended industry standard architecture (EISA), Micro Channel Architecture (MCA), peripheral component interconnect (PCI) local bus, standards promulgated by the Institute of Electrical and Electronics Engineers (IEEE) including IEEE 488 general-purpose interface bus (GPIB), IEEE 696/S-600, and so on. Furthermore, the system bus 110 may be compliant with any promulgated industry standard. For example, the system bus 110 may be designed in compliance with any of the following bus architectures: Industry Standard Architecture (ISA), Extended Industry Standard Architecture (EISA), Micro Channel Architecture, Peripheral Component Interconnect (PCI), Universal Serial Bus (USB), Access bus, IEEE 1394, Apple Desktop Bus (ADB), Concentration Highway Interface (CHI), Fire Wire, Geo Port, or Small Computer Systems Interface (SCSI), for example.

[0025] Additionally, the information handling system 100 includes a memory 104. In one embodiment, memory 104 is provided on SIMMs (Single In-line Memory Modules), while in another embodiment, memory 104 is provided on DIMMs (Dual In-line Memory Modules), each of which plugs into suitable sockets provided on a motherboard holding many of the other components shown in FIG. 1. Memory 104

includes standard DRAM (Dynamic Random-Access Memory), EDO (Extended Data Out) DRAM, SDRAM (Synchronous DRAM), or other suitable memory technology. Memory 104 may also include auxiliary memory to provide storage of instructions and data that are loaded into the memory 104 before execution. Auxiliary memory may include semiconductor based memory such as read-only memory (ROM), programmable read-only memory (PROM) erasable programmable read-only memory (EPROM), electrically erasable read-only memory (EEPROM), or flash memory (block oriented memory similar to EEPROM).

[0026] The information handling system 100 may further include a network connection device 106. The network connection device 106 communicates between the information handling system 100 and a remote device, such as external devices, networks, information sources, or host systems that administer a plurality of information handling systems. For example, host systems such as a server or information handling system, may run software controlling the information handling system, serve as storage for an information handling system, or coordinate software running separately on each information handling system.

[0027] The network connection device 106 may provide or receive analog, digital, or radio frequency data. The network connection device 106 preferably implements industry promulgated architecture standards, including Recommended Standard 232 (RS-232) promulgated by the Electrical Industries Association, Infrared Data Association (IrDA) standards, Ethernet IEEE 802 standards (e.g., IEEE 802.3 for broadband and baseband networks, IEEE 802.3z for Gigabit Ethernet, IEEE 802.4 for token passing bus networks, IEEE 802.5 for token ring networks, IEEE 802.6 for metropolitan area networks, 802.66 for wireless networks, and so on), Fibre Channel, digital subscriber line (DSL), asymmetric digital subscriber line (ASDL), frame relay, asynchronous transfer mode (ATM), integrated digital services network (ISDN), personal communications services (PCS), transmission control protocol/Internet

protocol (TCP/IP), serial line Internet protocol/point to point protocol (SLIP/PPP), Universal Serial Bus (USB), and so on. For example, the network connection device 106 may comprise a network adapter, a serial port, parallel port, printer adapter, modem, universal asynchronous receiver-transmitter (UART) port, and the like, or use various wireless technologies or links such as an infrared port, radio-frequency (RF) communications adapter, infrared transducers, or RF modem.

[0028] The information handling system 100 further includes a display system 112 for connecting to a display device 114. The display system 112 may comprise a video display adapter having all of the components for driving the display device, including video random access memory (VRAM), buffer, and graphics engine as desired. The display device 114 may comprise a liquid-crystal display (LCD), or may comprise alternative type of display technologies, such as a light-emitting diode (LED) display, gas or plasma display, or employ flat-screen technology.

[0029] An information handling system 100 may further include an input/output (I/O) system 116 for connecting to one or more I/O devices 118, 120, and up to N number of I/O devices 122. Input/output system 116 may comprise one or more controllers or adapters for providing interface functions between one or more of I/O devices 118-122. For example, input/output system 116 may comprise a serial port, parallel port, network adapter, printer adapter, radio-frequency (RF) communications adapter, universal asynchronous receiver-transmitter (UART) port, and the like, for interfacing between corresponding I/O devices such as a mouse, joystick, trackball, trackpad, trackstick, infrared transducers, printer, modem, RF modem, bar code reader, charge-coupled device (CCD) reader, scanner, compact disc (CD), compact disc read-only memory (CD-ROM), digital versatile disc (DVD), video capture device, touch screen, stylus, electroacoustic transducer, microphone, speaker, and the like. It should be appreciated that modification or reconfiguration of the information handling system 100 of FIG. 1 by one having ordinary skill in the art would not depart from the scope

or the spirit of the present invention. Thus, the present invention may access functionality from a variety of devices, such as through a network interface 106, input/output system 116, and the like.

[0030] Referring now to FIGS. 2A and 2B, an embodiment of the present invention is shown wherein an information handling system is coupled to a plurality of devices utilizes ports available on the information handling system. An information handling system 200 includes a chassis 202 for housing internal components of the information handling system 200 as well as internal devices, such as hard disk drives, removable media drives such as CD-ROMs, DVD players, floppy disk drives, and the like. The information handling system has a display device for displaying information for interaction by a user, such as through the use of a keyboard 206 and mouse 208.

[0031] A user may also access electronic devices to obtain additionally functionality. For example, an information handling system 200 may access a digital video recorder 210 to obtain video and audio data and a network connection device 212 to obtain content, such as a router, modem, cable modem, wireless communication device, and the like, to access a network, such as a local area network (LAN), wide area network (WAN), and the Internet. Additionally, a user may utilize a scanner 214 to obtain an image of a document, may print images utilizing a printer 216, and may access information from a personal digital assistant 218. Thus, a user may access functionality from a wide variety of devices.

[0032] To access this functionality, ports 220 are provided on the chassis 202 of the information handling system 200 to connect the information handling system 200 to the devices, such as USB, parallel, Fibre channel, and the like. Because of the desire by users to access a multiplicity of devices at a given time, a plurality of ports may be provided. In an embodiment of the present invention, the particular port to which a device is attached may be utilized to configure a user interface based on the port

usage. For instance, a relationship may be defined between ports, and that relationship utilized to configure a user interface displaying data from devices utilizing those ports in the stored relationship.

[0033] Referring now to FIG. 3, an exemplary method 300 of the present invention is shown wherein utilization of ports by devices is employed to configure a user interface. An information handling system includes a plurality of ports, such as the information handling system described in FIG. 1, for enabling the information handling system to access the functionality of a device. The information handling system monitors the plurality of ports 302, and determines utilization of a port by a device 304. For example, the information handling system may identify which particular port is being utilized, as well as the device utilizing the port, such as the functionality of the device, the type of device, identity of the device, and the like. The information handling system may then configure a user-interface based on the determined utilization of the port by the device 306. For example, a user interface may be arranged based on the detected devices, based on which port the devices are connected, and the like.

[0034] In this way, the user interface may be configured in a manner corresponding to port usage by a user, and thus may provide a more intuitive interface for interaction with the variety of connected devices. For instance, a user may connect devices to an information handling system in an arrangement that would indicate the importance of the devices to the user. A user may, for example, place devices in order of importance to the user when connecting the devices to ports that are numbered consecutively. Oftentimes, the user may not even be consciously aware of such an arrangement, but may do so instinctively when confronted with the port numbering. In this way, the user interface may be configured to place higher priority devices, and their corresponding content and information, in a more readily accessible location on a display of information by a display device. A variety of other methods may also be

employed for utilizing port placement as contemplated by a person of ordinary skill in the art without departing from the spirit and scope of the present invention.

[0035] Referring now to FIG. 4, an exemplary method 400 of the present invention is shown wherein multiple devices accessing multiple ports of an information handling system are utilized to configure a user interface. An information handling system is coupled to a first device 402 through use of a first port. A user interacts with a user interface, output by the information handling system, which displays content corresponding to the first device 404. If a second device is added 406, the information handling system determines which port of the plurality of ports included on the information handling system the second device has been added 408. The user interface is then configured so that a display of content from the first device is shown corresponding to display of content from a second device based on which ports are utilized by the first device and the second device 410. Thus, a user may interact with content from the first device and content from the second device 412, the content displayed in a manner corresponding to port usage.

[0036] For example, as shown in FIG. 2B, a plurality of ports may be provided on an information handling system. The information handling system may define a relationship between the ports so that devices connected to the ports have information corresponding to the devices displayed on a display device corresponding to the defined relationship of the ports. For example, if multiple rows of ports were provided as shown in FIG. 3B, if one device were plugged in to the left of another device, the corresponding content of that device may appear to the left and/or adjacent on a user interface. Likewise, if one device was plugged in directly above another device on the information handling system, that device's content may appear above the content from the device below it. Further, the display of information may be ordered to correspond to the order of the device as utilizing the ports.

[0037] Such configurations may be particularly useful in providing a default implementation of a user interface so as to supply an initial user interface configuration. Thus, a user may be provided with an initial display corresponding to device attachment to the information handling system, and may then allow the user to make changes to the configuration as desired.

[0038] In this way, a user interface may be configured based on devices connected to particular ports of an information handling system. For example, referring now to FIG. 5, an embodiment 500 of the present invention is shown wherein a user interface is provided to enable a user to interact with information from a variety of devices communicatively connected to the information handling system. A display device 502 includes a plurality of windows having content as obtained from devices, such as the devices shown in FIGS. 2A & 2B. For instance, pictures may be obtained from a digital camera and digital camcorder and have the corresponding content displayed in windows 504 and 506. Additionally, a network connection device may provide data from a network connection, and have that data displayed in a window 508 on a display device. Likewise, an application operating on the information handling may provide a text-entry screen 510, such as by a word processor, spreadsheet program, and the like, to enable a user to enter and manipulate text 510. A user may also access music from a music-playing device in another window 512.

[0039] Thus, pluralities of windows in a user interface are provided to enable a user to interact with content from a variety of sources. By utilizing the present invention, in an embodiment, the windows may be arranged based upon connected output devices, connected input devices and available programs, optimize based on the utilization of ports by devices, and the like as contemplated by a person of ordinary skill in the art.

[0040] Referring now to FIG. 6, an exemplary method 600 of the present invention is shown wherein a priority of ports on an information handling system is utilized to configure a user interface including information from devices communicatively connected to the ports. An information handling system is initiated 602. The information handling system assigns a priority to each of a plurality of ports included on the information handling system 604 at start-up. For instance, a priority may be determined based on user tendencies when confronted with a particular port configuration, past usage of the ports, and the like as contemplated by a person of ordinary skill in the art. The devices connected to the ports are utilized to configure the user interface based on the assigned priority 606.

[0041] If no other devices are added during operation 608, the information handling system operates in a normal manner 610. However, if a device is added 608, the information handling system determines which port of the plurality of port the device has been added 612. The user interface is then configured so that the display of content from the devices corresponds to the assigned priority 614. In an additional embodiment of the present invention, the information handling system may assign even greater priority to more recently added devices.

[0042] Referring now to FIGS. 7A and 7B, an exemplary embodiment of the present invention is shown wherein an information handling system chassis includes ports accessible on different surfaces and orientations. Ports may be positioned in a variety of places on an information handling system to provide accessibility from a variety of orientations. For instance, as shown in FIG. 7A, an information handling system chassis 702 includes a first port 704 and a second port 706 positioned on the front portion of the chassis 702. By positioning ports 704 & 706 on the front of the chassis 702, a user may easily connect devices to the information handling system without requiring the user to access the back portion of the chassis 702, as shown in FIG. 7B. Thus, mobile devices that are connected and disconnected to the information handling

system may be attached in an efficient manner without requiring a user to move the chassis from what may be a generally inaccessible location.

[0043] Positioning ports on the rear portion of the chassis may also be beneficial, as shown in FIG. 7B. For instance, ports positioned on a rear portion of a device may be preferable to a user when connecting devices which are not removed and reconnected from the device, such as printers, scanners, network connection devices, and the like. Thus, cords utilized for connecting the device to the information handling system would not interfere with the front of the information handling system, and would not clutter the area around the system. The present invention may utilize these various reasons for connecting a device to different ports in different orientations to configure a user interface in a desired manner.

[0044] For example, referring now to FIG. 8, an exemplary method 800 of the present invention is shown wherein priority based on accessibility of a port on an information handling system is utilized to configure a user interface. An information handling system is initiated 802. The information handling system detects connected devices and determines which port of the plurality of ports available on the information handling system the devices are attached 804. The information handling system assigns a priority to a display of information corresponding to each device based on the port utilized to connect to the device by the information handling system 806, and thus enables a user to interact with a user interface including displays of information by the devices 808. For instance, a user may have a collection of devices, such as a printer, scanner, network connection device, and the like, connected to the rear portion of a chassis of the information handling system which may indicate the desired general availability of those devices by the user, and thus may be given similar priority.

[0045] The user may then attach a digital camera to a front port of the information handling system 810. Because of the recent connection of the device, as well as the connection of the device to the front port of the information handling system, the information handling system may assign priority, may determine priority of the front by utilizing a port priority look-up table 812, and the like. Thus, by utilizing both the temporal and positional aspects of the user's connection of the device to the information handling system, the information handling system may give the front port the highest priority 812, and arrange the user interface to give the digital camera information higher priority than corresponding information from other attached devices 816.

[0046] Referring now to FIG. 9, an exemplary method 900 of the present invention is shown wherein a user interface is optimized by output devices as well as input devices available to an information handling system. The present invention may also employ knowledge of detected output devices in order to configure a user interface. For example, an information handling system may be initiated 902 and determine available input and output devices 904, such as printers, and the like. The information handling system references a look-up table to determine a relationship of the input/output devices 908, such as the devices most utilized and therefore a corresponding priority based on heuristic data, combinations of devices most desired, and the like.

[0047] The user interface may then be configured based on the relationships 910, such as by optimizing controls for output devices 912, arranging data on a display device based on determined relationships 914, arrange based on accessed application 916, most typically accessed applications, and the like, as well as other methods as contemplated by a person of ordinary skill in the art. Thus, the user may interact with a configured user interface in an optimized manner 918.

[0048] Although the invention has been described with a certain degree of particularity, it should be recognized that elements thereof may be altered by persons skilled in the art without departing from the spirit and scope of the invention. One of the embodiments of the invention can be implemented as sets of instructions resident in the memory 104 of one or more information handling systems configured generally as described in FIG. 1. Until required by the information handling system, the set of instructions may be stored in another readable memory device, for example in a hard disk drive or in a removable medium such as an optical disc for utilization in a CD-ROM drive and/or digital video disc (DVD) drive, a compact disc such as a compact disc-rewriteable (CD-RW), compact disc-recordable and erasable; a floppy disk for utilization in a floppy disk drive; a floppy/optical disc for utilization in a floppy/optical drive; a memory card such as a memory stick, personal computer memory card for utilization in a personal computer card slot, and the like. Further, the set of instructions can be stored in the memory of an information handling system and transmitted over a local area network or a wide area network, such as the Internet, when desired by the user.

[0049] Additionally, the instructions may be transmitted over a network in the form of an applet that is interpreted or compiled after transmission to the computer system rather than prior to transmission. One skilled in the art would appreciate that the physical storage of the sets of instructions or applets physically changes the medium upon which it is stored electrically, magnetically, chemically, physically, optically or holographically so that the medium carries computer readable information.

[0050] In exemplary embodiments, the methods disclosed may be implemented as sets of instructions or software readable by a device. Further, it is understood that the specific order or hierarchy of steps in the methods disclosed are examples of exemplary approaches. Based upon design preferences, it is understood that the specific order or hierarchy of steps in the method can be rearranged while remaining

within the scope of the present invention. The accompanying method claims present elements of the various steps in a sample order, and are not meant to be limited to the specific order or hierarchy presented.

[0051] It is believed that the adjustable user interface of the present invention and many of its attendant advantages will be understood by the forgoing description. It is also believed that it will be apparent that various changes may be made in the form, construction and arrangement of the components thereof without departing from the scope and spirit of the invention or without sacrificing all of its material advantages. The form herein before described being merely an explanatory embodiment thereof. It is the intention of the following claims to encompass and include such changes.

1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061 1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091 1092 1093 1094 1095 1096 1097 1098 1099 1100 1101 1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121 1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136 1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166 1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200 1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211 1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226 1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241 1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256 1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271 1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286 1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300 1301 1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316 1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331 1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346 1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361 1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376 1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391 1392 1393 1394 1395 1396 1397 1398 1399 1400 1401 1402 1403 1404 1405 1406 1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421 1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436 1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451 1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466 1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481 1482 1483 1484 1485 1486 1487 1488 1489 1490 1491 1492 1493 1494 1495 1496 1497 1498 1499 1500 1501 1502 1503 1504 1505 1506 1507 1508 1509 1510 1511 1512 1513 1514 1515 1516 1517 1518 1519 1520 1521 1522 1523 1524 1525 1526 1527 1528 1529 1530 1531 1532 1533 1534 1535 1536 1537 1538 1539 1540 1541 1542 1543 1544 1545 1546 1547 1548 1549 1550 1551 1552 1553 1554 1555 1556 1557 1558 1559 1560 1561 1562 1563 1564 1565 1566 1567 1568 1569 1570 1571 1572 1573 1574 1575 1576 1577 1578 1579 1580 1581 1582 1583 1584 1585 1586 1587 1588 1589 1590 1591 1592 1593 1594 1595 1596 1597 1598 1599 1600 1601 1602 1603 1604 1605 1606 1607 1608 1609 1610 1611 1612 1613 1614 1615 1616 1617 1618 1619 1620 1621 1622 1623 1624 1625 1626 1627 1628 1629 1630 1631 1632 1633 1634 1635 1636 1637 1638 1639 1640 1641 1642 1643 1644 1645 1646 1647 1648 1649 1650 1651 1652 1653 1654 1655 1656 1657 1658 1659 1660 1661 1662 1663 1664 1665 1666 1667 1668 1669 1670 1671 1672 1673 1674 1675 1676 1677 1678 1679 1680 1681 1682 1683 1684 1685 1686 1687 1688 1689 1690 1691 1692 1693 1694 1695 1696 1697 1698 1699 1700 1701 1702 1703 1704 1705 1706 1707 1708 1709 1710 1711 1712 1713 1714 1715 1716 1717 1718 1719 1720 1721 1722 1723 1724 1725 1726 1727 1728 1729 1730 1731 1732 1733 1734 1735 1736 1737 1738 1739 1740 1741 1742 1743 1744 1745 1746 1747 1748 1749 1750 1751 1752 1753 1754 1755 1756 1757 1758 1759 1760 1761 1762 1763 1764 1765 1766 1767 1768 1769 1770 1771 1772 1773 1774 1775 1776 1777 1778 1779 1780 1781 1782 1783 1784 1785 1786 1787 1788 1789 1790 1791 1792 1793 1794 1795 1796 1797 1798 1799 1800 1801 1802 1803 1804 1805 1806 1807 1808 1809 1810 1811 1812 1813 1814 1815 1816 1817 1818 1819 1820 1821 1822 1823 1824 1825 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900 1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 1930 1931 1932 1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2810 2811 2812 2813 2814 2815 2816 2817 2818 2819 2820 2821 2822 2823 2824 2825 2826 2827 2828 2829 2830 2831 2832 2833 2834 2835 2836 2837 2838 2839 2840 2841 2842 2843 2844 2845 2846 2847 2848 2849 2850 2851 2852 2853 2854 2855 2856 2857 2858 2859 2860 2861 2862 2863 2864 2865 2866 2867 2868 2869 2870 2871 2872 2873 2874 2875 2876 2877 2878 2879 2880 2881 2882 2883 2884 2885 2886 2887 2888 2889 2890 2891 2892 2893 2894 2895 2896 2897 2898 2899 2900 2901 2902 2903 2904 2905 2906 2907 2908 2909 2910 2911 2912 2913 2914 2915 2916 2917 2918 2919 2920 2921 2922 2923 2924 2925 2926 2927 2928 2929 2930 2931 2932 2933 2934 2935 2936 2937 2938 2939 2940 2941 2942 2943 2944 2945 2946 2947 2948 2949 2950 2951 2952 2953 2954 2955 2956 2957 2958 2959 2960 2961 2962 2963 2964 2965 2966 2967 2968 2969 2970 2971 2972 2973 2974 2975 2976 2977 2978 2979 2980 2981 2982 2983 2984 2985 2986 2987 2988 2989 2990 2991 2992 2993 2994 2995 2996 2997 2998 2999 3000 3001 3002 3003 3004 3005 3006 3007 3008 3009 3010 3011 3012 3013 3014 3015 3016 3017 3018 3019 3020 3021 3022 3023 3024 3025 3026 3027 3028 3029 3030 3031 3032 3033 3034 3035 3036 3037 3038 3039 3040 3041 3042 3043 3044 3045 3046 3047 3048 3049 3050 3051 3052 3053 3054 3055 3056 3057 3058 3059 3060 3061 3062 3063 3064 3065 3066 3067 3068 3069 3070 3071 3072 3073 3074 3075 3076 3077 3078 3079 3080 3081 3082 3083 3084 3085 3086 3087 3088 3089 3090 3091 3092 3093 3094 3095 3096 3097 3098 3099 3100 3101 3102 3103 3104 3105 3106 3107 3108 3109 3110 3111 3112 3113 3114 3115 3116 3117 3118 3119 3120 3121 3122 3123 3124 3125 3126 3127 3128 3129 3130 3131 3132 3133 3134 3135 3136 3137 3138 3139 3140 3141 3142 3143 3144 3145 3146 3147 3148 3149 3150 3151 3152 3153 3154 3155 3156 3157 3158 3159 3160 3161 3162 3163 3164 3165 3166 3167 3168 3169 3170 3171 3172 3173 3174 3175 3176 3177 3178 3179 3180 3181 3182 3183 3184 3185 3186 3187 3188 3189 3190 3191 3192 3193 3194 3195 3196 3197 3198 3199 3200 3201 3202 3203 3204 3205 3206 3207 3208 3209 3210 3211 3212 3213 3214 3215 3216 3217 3218 3219 3220 3221 3222 3223 3224 3225 3226 3227 3228 3229 3230 3231 3232 3233 3234 3235 3236 3237 3238 3239 3240 3241 3242 3243 3244 3245 3246 3247 3248 3249 3250 3251 3252 3253 3254 3255 3256 3257 3258 3259 3260 3261 3262 3263 3264 3265 3266 3267 3268 3269 3270 3271 3272 3273 3274 3275 3276 3277 3278 3279 3280 3281 3282 3283 3284 3285 3286 3287 3288 3289 3290 3291 3292 3293 3294 3295 3296 3297 3298 3299 3300 3301 3302 3303 3304 3305 3306 3307 3308 3309 3310 3311 3312 3313 3314 3315 3316 3317 3318 3319 3320 3321 3322 3323 3324 3325 3326 3327 3328 3329 3330 3331 3332 3333 3334 3335 3336 3337 3338 3339 3340 3341 3342 3343 3344 3345 3346 3347 3348 3349 3350 3351 3352 3353 3354 3355 3356 3357 3358 3359 3360 3361 3362 3363 3364 3365 3366 3367 3368 3369 3370 3371 3372 3373 3374 3375 3376 3377 3378 3379 3380 3381 3382 3383 3384 3385 3386 3387 3388 3389 3390 3391 3392 3393 3394 3395 3396 3397 3398 3399 3400 3401 3402 3403 3404 3405 3406 3407 3408 3409 3410 3411 3412 3413 3414 3415 3416 3417 3418 3419 3420 3421 3422 3423 3424 3425 3426 3427 3428 3429 34